## AEROTECH HERMAN NELSON BTIDF 350 OIL/DIESEL

## **SPECIFICATIONS**

Capacity 350,000 BTU/hour

**Electrical Require-** 115V/15 Amp.

ments

Air Flow 2,500 CFM

**Fan Motor** 1/2 HP, 1800 RPM

**Burner Motor Dimen-**1/4HP, 3450 RPM

sions

Net Weight (approx.) 420 lbs.

**Net Weight** 520 lbs. (dry)

**Dimensions**  $70^{\circ}\text{L} \times 35^{\circ}\text{W} \times 50^{\circ}\text{H}$ 

**Approval** CSA

Fuel No.1 Fuel Oil or Kerosene

**Nozzle** 2.0 U.S. GPH x 60°B (solid)

35 Imperial gallons 42 <sup>U.S.</sup> Gallons **Tank Capacity** 





**Full Environmental Spill** Containment around poly tank

## **FEATURES**

- Standard Lifting Bail Included
- Can be configured with 2 x 12" or 1 x 16" Outlet front Cap
- Industrial Grade Beckett Burner (Oil/Diesel Version)
- 4 U.S. Gallon Environmental Spill Containment Fuel Tank Included (Oil/Diesel Version)
- Optional Heat Recovery System Available to Minimize Service Calls (Oil/Diesel Version)
- GeniSys Controller with Diagnostic Reader (Oil/Diesel Version)

Aerotech Herman Nelson Intl. Inc. 100 Eagle Drive Winnipeg, MB, CAN **R2R 1V5** 

1 (800) 486-4328 1 (204) 633-1999 (24hr)

sales@hermannelson.com www.hermannelson.com